



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/941,250	08/28/2001	Andrew P. Smith	1166/60353-B	6586
7590	04/16/2004		EXAMINER	
Ivan S. Kavrukov Cooper & Dunham LLP 1185 Avenue of the Americas New York, NY 10036			HO, ALLEN C	
			ART UNIT	PAPER NUMBER
			2882	

DATE MAILED: 04/16/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

09/941,250

Applicant(s)

SMITH ET AL.

Examiner

Allen C. Ho

Art Unit

2882

AW

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 29 March 2004.
- 2a) ☐ This action is FINAL. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-15 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-15 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 28 August 2001 is/are: a) ☐ accepted or b) ☒ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
 - ☐ Certified copies of the priority documents have been received in Application No. _____.
 - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- ☒ Notice of References Cited (PTO-892)
- ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- ☐ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____
- ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____
- ☐ Notice of Informal Patent Application (PTO-152)
- ☐ Other: _____

DETAILED ACTION

Drawings

1. The drawings are objected to under 37 CFR 1.83(a). The drawings must show every feature of the invention specified in the claims. Therefore, the "two translational and three rotational motions" claimed in claims 7-9 must be shown or the feature(s) canceled from the claim(s). No new matter should be entered.

2. The drawings are objected to under 37 CFR 1.83(a). The drawings must show every feature of the invention specified in the claims. Therefore, the "two translational and three rotational motions" claimed in claims 10-15 must be shown or the feature(s) canceled from the claim(s). No new matter should be entered.

A proposed drawing correction or corrected drawings are required in reply to the Office action to avoid abandonment of the application. The objection to the drawings will not be held in abeyance.

Claim Rejections - 35 USC § 112

3. The following is a quotation of the first paragraph of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

4. Claims 7-9 and 10-15 are rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the enablement requirement. The claim(s) contains subject matter which was not

Art Unit: 2882

described in the specification in such a way as to enable one skilled in the art to which it pertains, or with which it is most nearly connected, to make and/or use the invention.

Claim 1 recites "an upwardly extending, floor-support column supporting the receptor for movement to different positions up and down along an upwardly extending axis (translation), (rotation) about the same or a different upwardly extending axis, and (rotation) about a lateral axis transverse to the axis along which the receptor moves up and down". The specification discloses an embodiment (Fig. 71, p. 44-45) that provides the following five motions (two translational and three rotational) to a flat-panel x-ray imaging receptor: rotation between portrait and landscape orientation, tilt between vertical and horizontal orientation of its imaging front surface, translation up and down the column, rotation together with the column about the long column axis, column can be on a movable support. Claims 7-9 recite "the receptor moves in at least two translational and three rotational motions". It is unclear how the receptor could move in at least two translational and three rotational motions in addition to the motions set forth in claim 1.

Claim 10 recites "a second track supporting, for movement along the second track (translation), a second downwardly extending, telescoping column that in turn supports the receptor for movement up and down (translation), (rotation) about a second up-down axis, and (rotation) about a second lateral axis transverse to the second up-down axis". The specification discloses an embodiment (Fig. 72, p. 45-46) that provides the following the following five motions (two translational and three rotational) to a flat-panel x-ray imaging receptor: track (translation), telescoping column (translation), rotation about a vertical axis (732), rotation about a horizontal axis (734), rotation about a central axis transverse to its imaging face. Claims 10-12

Art Unit: 2882

recite "the receptor moves in at least two translational and three rotational motions". It is unclear how the receptor could move in at least two translational and three rotational motions in addition to the motions set forth in claim 10.

Claims 13-15 are rejected on the same ground set forth above.

5. The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

6. Claims 7-9 and 10-15 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

Claims 7-9 recite "the receptor moves in at least two translational and three rotational motions". It is unclear if the recitation refers to motions in addition to the motions set forth in claim 1, or includes the motions set forth in claim 1.

Claims 10-12 recite "the receptor moves in at least two translational and three rotational motions". It is unclear if the recitation refers to additional motions, or includes the motions set forth earlier in the claim.

Claims 13-15 are rejected on the same ground set forth above.

Claim Rejections - 35 USC § 103

7. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person

Art Unit: 2882

having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

8. Claims 1, 4, and 5 are rejected under 35 U.S.C. 103(a) as being unpatentable over Negrelli (U. S. Patent No. 6,200,024 B1) in view of Stenfors (U. S. Patent No. 6,309,102 B1).

With regard to claim 1, Negrelli disclosed a system positioning a digital flat panel x-ray receptor for a variety of diagnostic x-ray protocols, comprising: at least one x-ray source (44) selectively emitting an x-ray beam; a digital flat panel x-ray receptor (48) having an imaging face; a downwardly extending, ceiling-supported column (106) supporting the receptor for movement to different positions up and down along a downwardly extending axis, rotating (100) about the same or a different downwardly extending axis, and rotating (108) about a lateral axis transverse to the axis along which the receptor moves up and down; the receptor and at least one x-ray source being mounted on separate supports for movement independent of each other; and the at least one x-ray source and the receptor being juxtaposed for directing the x-ray beam to the imaging face of the receptor for a variety of diagnostic x-ray protocols.

However, Negrelli did not teach an upwardly extending, floor-supported column supporting the receptor. Instead, Negrelli disclosed a system with the opposite arrangement comprising: an upwardly extending, floor-supported column supporting the x-ray source; and a downwardly extending, ceiling-supported column supporting the receptor. Furthermore, Negrelli did not teach protocols in which the source is above the receptor and protocols for lateral imaging in which the source and receptor are at matching level.

Stenfors disclosed a C-arm x-ray examination apparatus that could scan a patient laterally (Fig. 3).

Art Unit: 2882

It would have been obvious to a person of ordinary skill in the art at the time the invention was made to switch the positions of the receptor and the x-ray source, since a person in the art would recognize that these two configurations (and the protocols) are completely equivalent as long as the x-ray source and the receptor are directed toward each other and the receptor intercepts the x-ray beam after it has traversed the patient; it is purely a design choice. Furthermore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to include protocols for lateral imaging in Negrelli's system, since a person would be motivated to configure the system for as many C-arm protocols as possible (column 2, lines 59-63), which is less expensive than purchasing new equipment.

With regard to claim 4, Negrelli in combination with Stenfors disclosed a system as in claim 1, wherein the receptor has at least five degrees of freedom relative to the column (four rotational degrees of freedom **100**, **102**, **108**, **110**, and one translational degree of freedom **104**, **106**).

With regard to claim 5, Negrelli in combination with Stenfors disclosed a system as in claim 1, further including motorized drivers for moving the receptor (column 6, lines 8-13).

9. Claim 6 is rejected under 35 U.S.C. 103(a) as being unpatentable over Negrelli (U. S. Patent No. 6,200,024 B1) and Stenfors (U. S. Patent No. 6,309,102 B1) as applied to claim 1 above, and further in view of Narita (U. S. Patent No. 5,226,069).

With regard to claim 6, Negrelli in combination with Stenfors disclosed a system as in claim 1. However, Negrelli and Stenfors fail to teach that the system further includes encoders coupled with the column to provide digital information regarding the movement of the column,

and a computer coupled with the encoders to receive digital information from the encoders and programmed to utilize the information to control the movement.

Narita disclosed a system (Fig. 13) comprising a computer (65) that utilizes information from encoders (13G', 14C', 52C', 54D') to control the motors (13G, 14C, 52C, 54D).

It would have been obvious to a person of ordinary skill in the art at the time the invention was made to provide a computer that controls motors based on feedback signals generated by encoders, since a person would be motivated to set up a feedback loop to confirm the actual position.

10. Claims 2 and 3 are rejected under 35 U.S.C. 103(a) as being unpatentable over Hauck *et al.* (U. S. Patent No. 4,501,011) in view of Roos *et al.* (U. S. Patent No. 6,041,097).

With regard to claim 2, Hauck *et al.* disclosed a system positioning an x-ray receptor for a variety of diagnostic x-ray protocols, comprising: an x-ray source (22) selectively emitting an x-ray beam; an x-ray receptor (24), which is an image intensifier, having an imaging face; a first track supporting (50), for movement along the first track (72), a first downwardly extending, telescoping column (42) that in turn supports the source for movement up and down, rotating about a first up-down axis (column 3, line 47), and rotating about a first lateral axis (58) transverse to the first up-down axis, to thereby position and orient the x-ray beam for a variety of x-ray imaging protocols; a second track supporting (52), for movement along the second track (82), a second, downwardly extending, telescoping column (44) that in turn supports the receptor for movement up and down, rotating about a second up-down axis (column 3, lines 56-57), and rotating about a second lateral axis (60) transverse to the second up-down axis, to thereby position and orient the imaging face of the receptor to match the position and orientation of the

Art Unit: 2882

x-ray beam for the variety of x-ray imaging protocols, including protocols in which the source is above the receptor (column 2, lines 9-18) and protocols for lateral imaging in which the source and receptor are at matching levels (column 2, lines 5-8); the first and second tracks being spaced apart from each other to allow movement of the first column along the first track that is independent of movement of the second column along the second track (column 4, lines 1-2).

However, Hauck *et al.* did not disclose a system that employs a digital flat panel x-ray receptor.

Roos *et al.* taught that a digital flat panel x-ray receptor has many advantages over an image intensifier (column 5, lines 24-33). For example, digital flat-panel receptors are free from geometric distortion that exists in image intensifiers.

It would have been obvious to a person of ordinary skill in the art at the time the invention was made to employ a digital flat panel x-ray receptor in the system disclosed by Hauck *et al.*, since a person would be motivated to avoid the defects that exist in an image intensifier, which might cause misdiagnosis.

With regard to claim 3, Hauck *et al.* disclosed a system positioning an x-ray receptor for a variety of diagnostic x-ray protocols, comprising: an x-ray source (22) selectively emitting an x-ray beam and positioning the beam at positions and orientations for a variety of x-ray imaging protocols, and a supporting structure (42) for the x-ray source; an x-ray receptor (24), which is an image intensifier, having an imaging face; a track supporting (52), for movement along the track (82), a downwardly extending, telescoping column (44) that in turn supports the receptor for movement up and down, rotating about an up-down axis (column 3, lines 56-57), and rotating about a lateral axis (60) transverse to the up-down axis, to thereby position and orient the

Art Unit: 2882

imaging face of the receptor to match the position and orientation of the x-ray beam for the variety of x-ray imaging protocols, including protocols in which the source is above the receptor (column 2, lines 9-18) and protocols for lateral imaging in which the source and receptor are at matching levels (column 2, lines 5-8); the track being spaced from the supporting structure for the x-ray source to allow movement of the column along the track that is independent of movement of the x-ray source or the support thereof (column 4, lines 1-2).

However, Hauck *et al.* did not disclose a system that employs a digital flat panel x-ray receptor.

Roos *et al.* taught that a digital flat panel x-ray receptor has many advantages over an image intensifier (column 5, lines 24-33). For example, digital flat-panel receptors are free from geometric distortion that exists in image intensifiers.

It would have been obvious to a person of ordinary skill in the art at the time the invention was made to employ a digital flat panel x-ray receptor in the system disclosed by Hauck *et al.*, since a person would be motivated to avoid the defects that exist in an image intensifier, which might cause misdiagnosis.

Response to Arguments

11. Applicant's arguments filed 29 March 2004 have been fully considered but they are not persuasive.

With regard to claim 1, applicants argue that there is no need to make any mechanical modifications to the virtual C-arm system taught by Negrelli since all protocols are done by software processing and manipulation of electrical signals, thus it would not have been obvious

Art Unit: 2882

to one skilled in the art to modify the system of Negrelli to include upwardly extending, floor-supported column supporting the receptor. The examiner respectfully disagrees. Switching the positions of the receptor and the x-ray source is obvious to a person skilled in the art, since a person skilled in the art would recognize that these two configurations (source above or source below) are completely equivalent as long as the x-ray source and the receptor are directed toward each other and the receptor intercepts the x-ray beam after it has traversed the patient. This modification has nothing to do with the teachings of Stenfors; it is a knowledge possessed by a person skilled in the art. The teachings of Stenfors was only relied upon to teach how the x-ray source and the receptors are positioned relative to a patient for different C-arm protocols.

With regard to claims 2 and 3, the amendment failed to set forth additional structural limitations. MPEP § 2114. Accordingly, the rejection of claims 2 and 3 is being maintained.

Conclusion

12. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure:

Winsor *et al.* (U. S. Pub. No. 2003/0223549 A1) disclosed a positioning stand for a radiography imaging device.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Allen C. Ho whose telephone number is (571) 272-2491. The examiner can normally be reached on Monday - Friday from 8:00 am - 5:00 pm.

Art Unit: 2882

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Edward J. Glick can be reached at (571) 272-2490. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Allen C Ho

Allen C. Ho
Patent Examiner
Art Unit 2882